

SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

Revision Date: 18/07/2021

Version No: 1 Revision Date: 18/07/2021 Print Date: 18/07/2021

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name: Max Cut

Recommended Use: Cutting compound for automotive paintwork

Supplier: Gleam-It Products Pty Ltd
Address: Unit 4/212 Commercial Drive

Ashmore Qld 4214

Australia

Telephone: +617 5531 1544

Emergency Telephone: +617 5531 1544 (8 am to 5 pm EST)

2. HAZARDS IDENTIFICATION

GHS Classification of

the substance or

Classification of the

mixture:

CARCINOGEN – Category 1A

substance or mixture: SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) -

Category 1

GHS label elements

Hazard pictograms:





Signal word: DANGER

Hazard statements: H350i May cause cancer via inhalation.

H372 Causes lung damage through prolonged or repeated

This substance / preparation is classified as hazardous according to the

GHS of Classification and Labelling of Chemicals, Third Revision.

exposure via inhalation.

Precautionary P201 Obtain special instructions before use.

statements: P202 Do not handle until all safety precautions have been

read and understood.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash exposed skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
P281 Use personal protective equipment as required.

attention.

P314 Get medical advice / attention if you feel unwell.

P405 Store locked up.

Max Cut Page 1 of 6

3. COMPOSITION/INFORMATION ON INGREDIENTS

| <u>Chemical Name</u> | CAS Number | Proportion (%) |
|--|------------|----------------|
| Ingredients determined not to be hazardous | - | 10 - 30% |
| Aluminium Oxide | 1344-28-1 | 30 - 60% |
| Distillates (Petroleum), Hydrotreated Light | 64742-47-8 | 10 - 30% |
| Quartz (SiO2) | 14808-60-7 | 10 - 30% |
| Distillates (Petroleum), Hydrotreated Light Paraffinic | 64742-55-8 | < 10% |
| Morpholine | 110-91-8 | < 1% |
| Benzisothiazolinone | 2634-33-5 | < 0.1% |
| Methylisothiazolinone | 2682-20-4 | < 0.1% |

The authorities of the European Community have selected 26 fragrance ingredients which are considered to be potential allergens. If any of these 26 fragrance ingredients are determined to be present at a level of 10 ppm (= 0.001%) or more in a leave-on personal care product or at a level of 100 ppm (= 0.01%) or more in a rinse-off personal care product or detergent product, then they must be included as an ingredient on the product label if the product is to be sold in the European Community. Whilst Australian legislation and regulations for personal care products and detergent products does not require such ingredient disclosure, it is provided below in the interests of transparency and to assist consumers in making an informed choice.

Fragrance ingredients which are considered to be potential allergens present in the product at a level of 100 ppm (=0.01%) or more

Nil (no fragrance contained in the product)

4. FIRST AID MEASURES

Ingestion: Rinse mouth out with water. Do not induce vomiting. Give plenty of water to

drink. If irritation develops and persists, seek medical advice or contact the Poisons Information Centre (phone Australia 13 1126, NZ 0800 764 766).

Eye: Immediately hold eyes open and flush with water for at least 15 minutes. If

irritation persists, seek medical advice.

Skin: Wipe off excess with tissue or towel. Remove contaminated clothing. Wash

well with water. Seek medical advice if irritation occurs.

Inhaled: Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give

artificial respiration. If symptoms persist, seek medical advice.

First Aid Facilities: Workcover recommended first aid facilities appropriate to the size of the

workplace.

Advice to Doctor: Treat symptomatically.

5. FIRE FIGHTING MEASURES

Extinguishing media: Water spray or fog. Foam, dry chemical powder or carbon dioxide

extinguishers.

Hazards from

This mixture is not combustible under normal conditions. However, it will break down under fire conditions and the hydrocarbon component will burn.

break down under fire conditions and the hydrocarbon component will burn. In a large fire, heating may produce toxic fumes containing carbon

monoxide, carbon dioxide and nitrogen oxides.

Personal protective

equipment:

Fire fighters to wear self-contained breathing apparatus and suitable

protective clothing.

Hazchem code: None assigned.

Max Cut Page 2 of 6

6. ACCIDENTAL RELEASE MEASURES

Emergency procedures: Slippery when spilt. Avoid accidents, clean up immediately. Wear

appropriate protective equipment during clean-up.

Methods and materials for containment and

clean up:

Contain spill to prevent contamination of drains / waterways. Use absorbent material such as sand or earth. Collect and seal in properly labelled containers for disposal in accordance with local regulations. Wash area

down with water to remove residual material.

7. HANDLING AND STORAGE

Precautions for safe

handling:

Follow product label directions. Avoid skin and eye contact. Avoid breathing

vapours or dusts generated during use.

Conditions for safe

storage:

Store in original containers in a cool (below 30°C), dry, well-ventilated area and out of direct sunlight. Store away from foodstuffs and foodstuff

containers.

Storage incompatibility: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

National exposure standards: Australia (1)

| Ingredient | CAS No. (a) | TWA | | STEL | | Carcinogen | Notices |
|------------------------------|-------------|---------|-----------------------|---------|-----------------------|------------|---------|
| | | ppm (b) | mg/m ^{3 (c)} | ppm (b) | mg/m ^{3 (c)} | Category | |
| Aluminium Oxide | 1344-28-1 | - | 10 | • | - | - | (d) |
| Quartz (respirable dust) | 14808-60-7 | | 0.05 | | | Carc. 1A | |
| Morpholine | 110-91-8 | 20 | 71 | | | | Sk |
| Oil Mist, Refined Mineral | 8012-95-1 | | 5 | | | | (e) |

where:

TWA = Time Weighted average STEL = Short Term Exposure Limit

(1) Safe Work Australia Workplace Exposure Standard for Airborne Contaminants 16/12/2019

(a) CAS No. (Chemical Abstracts Service) is a unique identifying number that is assigned to each

chemical.

(b) Parts of vapour or gas per million of contaminated air by volume at 25°C and 1 atm.

(c) Milligrams of substance per cubic metre of air.

(d) This value is for inhalable dust containing no asbestos and < 1% crystalline silica.

(e) No exposure standard is provided for the ingredients:

Distillates (Petroleum), Hydrotreated Light (CAS 64742-47-8)

Distillates (Petroleum), Hydrotreated Light Paraffinic (CAS 64742-55-8)

so the exposure standard for Oil Mist, Refined Mineral (CAS 8012-95-1) is provided as a

recommended guide

Sk Absorption through the skin may be a significant source of exposure.

Sen Respiratory and/or Skin Sensitiser Biological limit values: Not available.

Engineering controls: None under normal use conditions.

Personal protective

equipment:

Eyes: The wearing of eye pro

The wearing of eye protection when handling the product in

industrial situations is recommended.

Hands: The wearing of nitrile or rubber gloves is recommended.

Respiratory: Wear a P3 dust mask during use.

Other: Always wash hands before smoking, eating, drinking or using

the toilet.

Max Cut Page 3 of 6

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Opaque pale blue paste Odour Essentially odourless pH (neat) Approximately 8.8

Vapour Pressure (kPa) Not available

Boiling Point (°C) Approximately 100°C (water)

< 0°C Melting Point (°C)

Solubility in Water The product is an oil-in-water emulsion that suspends an insoluble mild

abrasive so it is dispersible in water but upon dilution the abrasive will

precipitate

Specific Gravity Approximately 1.365 @ 20°C

Flash Point (°C) Not applicable (oil-in-water emulsion)

Flammability Limits Not flammable Not available Ignition Temperature Specific Heat Value Not available **VOC Content**

Approximately 15%

Evaporation Rate Not available

Viscosity Approximately 100,000 cps @ 20°C

Volatile Component Approximately 50%

Saturated Vapour

Pressure

Decomposition

Temperature

Not available

Not available

10. STABILITY AND REACTIVITY

Chemical stability: Stable under normal conditions. Conditions to avoid: Excessive heat and direct sunlight.

Incompatible materials: None known.

Hazardous Thermal degradation may produce carbon monoxide, carbon dioxide and

decomposition products: nitrogen oxides. Hazardous reactions: None known.

11. TOXICOLOGICAL INFORMATION

Potential health effects:

Acute

Swallowed: May cause irritation if directly introduced to the mouth, throat and stomach.

> Symptoms may include vomiting, abdominal pain, diarrhoea and nausea. THE ATE has been calculated to be > 5000, so the product is NOT

considered to be toxic according to GHS criteria.

Eye: The eve irritation Cat 2A score has been determined to be < 1, so the

> product is considered by GHS NOT to be a Cat 2A eye irritant. However, may cause irritation to the eyes, including redness and stinging, especially

if the abrasive dust enters the eyes.

Skin: The skin irritation Cat 2 score has been determined to be < 1, so the

product is considered by GHS NOT to be irritating to the skin. However,

repeated or prolonged skin contact may lead to irritation.

Max Cut Page 4 of 6 Inhaled: THE ATE for vapours has been calculated to be > 11 and the ATE for dusts

has been calculated to be > 1.5, so the product is NOT considered to be toxic by inhalation according to GHS criteria. However, the product contains a number of ingredients with exposure standards, including Quartz (SiO2),

which is a Carcinogen Cat 1.

Aspiration: Whilst this product contains an ingredient that is deemed to be an

aspiration hazard, the viscosity of the product is $> 20.5 \text{ mm}^2/\text{s} \otimes 40^\circ\text{C}$ so the product is NOT considered to be an aspiration hazard according to

GHS criteria.

<u>Chronic</u> This product contains 10 – 30% Quartz (SiO2), which is classified to be a

Carcinogen Cat 1 via inhalation. This product also contains a petroleum-based ingredient that is deemed to elicit Carcinogen Cat 1B, however because it contains less than 0.1% w/w Benzene and < 3% w/w Toluene and < 3% w/w n-Hexane, the classification as a Cat 1B Carcinogen does

not apply to the product.

12. ECOLOGICAL INFORMATION

Ecotoxicity: The product has not been tested for ecotoxicity, but the below statements

have been derived from a summation of all substances with known

ecotoxicities in the product based on the GHS criteria. NOT considered to be an acute hazard to the environment. NOT considered to be a chronic hazard to the environment.

Persistence and Degradability

The surfactants contained in this product are classified as readily biodegradable according to OECD criteria. The 2016 DID List ⁽²⁾ also indicates that the surfactants are anaerobically biodegradable. However, some ingredients contained in the product are either inherently biodegradable or persistent or their biodegradability status is unknown.

Mobility No information available.

Other Avoid contaminating waterways. Contain spills.

13. DISPOSAL CONSIDERATIONS

Waste disposal: Dispose of by incineration or burial in an approved landfill in accordance

with Commonwealth, State and Local Government regulations.

14. TRANSPORT INFORMATION

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail.

UN Number: None Proper Shipping Name: None Dangerous Goods None

Class:

Subsidiary Risk: None
Pack Group: None
Hazchem Code: None
Marine Pollutant: No
Special precautions for None

user:

Max Cut Page 5 of 6

15. REGULATORY INFORMATION

Poisons Schedule: None. The total concentration of liquid hydrocarbons in this product is <

25% w/v.

All components of this product are listed on the Australian Inventory of

Chemical Substances (AICS).

16. OTHER INFORMATION

For Emergencies: Australian Poisons Information Centre – phone 13 1126

New Zealand Poisons Information Centre – phone 0800 764 766

Prepared By: Greg Bryant

BSR ChemConsult Pty Ltd

Issue Date: 18/07/2021

Version No: 1
Supersedes: 0

Reason for Revision: New product

References:

(2) Detergent Ingredient Database (DID) List:

http://ec.europa.eu/environment/ecolabel/documents/Calculation%20Sheet%20cosmetics.xlsx

The LC₅₀/EC₅₀ and NOEC values quoted are those contained in the DID List

This MSDS summarises to our best knowledge the health and safety hazard information for the product and general guidance on how to safely handle the product in the workplace. Each user must, prior to usage, assess and control the risks arising from its use of the product in the workplace, including in conjunction with other products. This information is presented in good faith and is based on current data considered to be correct to the best of our knowledge.

End of document.

Max Cut Page 6 of 6